

LIFE PINNARCA

LIFE NAT/ES/001265



DELIVERABLE A2.1

REPORT ON

DA2.1 LIST OF SELECTED AREAS EXPLAINING WHY THEY ARE OPTIMUM TO HOST FAN MUSSELS

MA2.1 Decision to consider a site optimum to host fan
mussels



CSIC-IEO

IRTA

IOPR

UNINA

UAEGEAN

CIMAR-UA

IMEDMAR-UCV



PARTICIPANTS :

CSIC-IEO:

Maite Vázquez Luis, Elvira Álvarez

Instituto Español de Oceanografía (IEO, CSIC), Centro Oceanográfico de Baleares. Muelle de poniente s/n, 07015. Palma de Mallorca, Spain. Contact: maite.vazquez@ieo.csic.es

IRTA:

Patricia Prado

Institut de Recerca i Tecnologia Agroalimentàries, Ctra. De Poble Nou Km. 5.5, E-43540 Sant Carles de la Ràpita

IOPR:

Robert Bunet, Mathieu Foulquié

Institut océanographique Paul Ricard, Ile des Embiez, 83140 Six-Fours-les-plages, France; University of Toulon, CNRS/INSU, IRD, MIO UM 110, Mediterranean Institute of Oceanography, France

Nardo Vicente

Institut Méditerranéen de Biodiversité et d'Ecologie marine et continentale (IMBE), Aix-Marseille University, Avignon, CNRS, IRD, France

UNINA:

Francesca Carella

University of Naples Federico II Department of Biology, Complesso Universitario di MSA, 80123, Naples Italy.

UAEGEAN:

Orestis Papadakis, Stelios Katsanevakis

Department of Marine Sciences, University of the Aegean. University hill, 81100, Mytilene, Lesvos, Greece

CIMAR-UA:

Yolanda Fernández Torquemada, Francisca Giménez Casalduero

Marine Research Center of Santa Pola, University of Alicante, 03130 Santa Pola. Departamento de Ciencias del Mar y Biología Aplicada, Universidad de Alicante, 03690, San Vicente del Raspeig, Alicante, Spain

IMEDMAR-UCV:

José Rafa García March, José Tena

Instituto de Investigación en Medio Ambiente y Ciencia Marina (IMEDMAR-UCV), Universidad Católica de Valencia SVM, C/Explanada del Puerto S/n, 03710, Calpe, Alicante, Spain.



To be cited as:

Vázquez-Luis M., Álvarez-Pérez E., Prado P., Bunet R., Foulquié M., Vicente N., Carella F., Papadakis O., Katsanevakis S., Fernández Y., Giménez Casalduero F., Tena J., García-March J.R. (2023). Deliverable A2.1 List of selected areas explaining why they are optimum to host fan mussels (including Milestone A2.1 Decision to consider a site optimum to host fan mussels). Within the Action A2: Location of optimum sites. LIFE Pinnarca NAT/ES/001265 'Protection and restoration of *Pinna nobilis* populations as a response to the catastrophic pandemic started in 2016', January 2023, 43 pp.

This report is confidential, and the reproduction or dissemination of the content and data of this document to non-contracting third parties is prohibited, without the express authorization of partners, unless otherwise agreed by the parties granting the agreement when it is the object.



INDEX

1.	Background	7
2.	Optimal Sites for resistant <i>Pinna nobilis</i> individuals	10
2.1.	BALEARIC ISLANDS. Suitable places to host <i>P. nobilis</i> resistant individuals	10
2.1.1.	Cabrera National Park	12
2.2.	FRANCE. Mediterranean open sea suitable places to host <i>P. nobilis</i> resistant individuals	13
2.2.1.	Brusc lagoon and Embiez archipelago (France, Var)	13
2.2.2.	Côte agathoise Marine Protected Areas (France, Hérault)	13
3.	Optimal Sites for non-resistant <i>Pinna nobilis</i> individuals (Sanctuary areas)	15
3.1.	EBRO DELTA. Sanctuary areas	15
3.1.1.	Discarded candidate areas in the Banyà peninsula	15
3.1.2.	Monitored candidate areas	16
3.1.2.1.	Monitored areas in Fangar Bay	17
3.1.2.2.	Monitored areas in Alfacs Bay	19
3.1.3.	Evaluation of other local risks	23
3.1.4.	Conclusions	24
3.2.	MAR MENOR LAGOON. Sanctuary areas	25
3.3.	BALEARIC ISLANDS	26
3.3.1.	Candidates sanctuary areas	26
3.3.2.	S'Estany des Peix	27
3.3.3.	Other sites to be explored	29
3.3.3.1.	Estany Pudent	29
3.3.3.2.	Estany des Codols	30
3.3.3.3.	Albufera des Grau	30
3.3.3.4.	Albufera de Mallorca	31
3.3.1.	Overview	32
3.4.	SPANISH LITORAL MAINLAND	33
3.4.1.	Candidate sanctuary areas	33
3.5.	FRANCE. Sanctuary areas	34
2.3.1.	Diana lagoon (Corsica)	34
2.3.2.	Urbinu lagoon (Corsica)	36
2.3.3.	Thau lagoon (France, Hérault)	36
3.6.	ITALY. Sanctuary areas	38
3.6.1.	Monitoring activities and diagnostic in Venice lagoon	38
3.7.	GREECE	38
3.7.1.	List of areas potentially capable of hosting population to create new reservoirs, for their further evaluation during the project	38
4.	References	41



FIGURES

Figure 1. Schematic representation of factors to consider when choosing optimal sites for <i>Pinna nobilis</i> individuals. Green refers to open sea (Mediterranean Sea), and lila refers to sanctuary areas.	8
Figure 2. Selected localities in Balearic islands where previous knowledge of <i>P.nobilis</i> populations is available (Deudero et al., 2015).	10
Figure 3. Density of living <i>P. nobilis</i> populations (ind/100m ²) found across islands and localities. (Note that density scale differs for figure D Cabrera National Park)(Vazquez-Luis et al, 2014, Deudero et al., 2015).	11
Figure 4. Aerial view of the Trinitat salt pans adjacent to the Alfacs Bay.	15
Figure 5. Location of the different areas evaluated in the Fangar and Alfacs Bays between April and December 2021.	16
Figure 6. A. Monthly average values of salinity in zone 1 of Fangar Bay (tip of the Fangar peninsula). The dashed red line indicates the theoretical parasite infection threshold. Dotted lines indicate maximum and minimum monthly values. Error bars are SE. B. Temperatures in zone 1 of Fangar Bay (tip of the Fangar peninsula). Dotted lines indicate maximum and minimum monthly values. Error bars are SE	17
Figure 7. Monthly average values of A) Salinity and B) temperature in Zone 2 of the Fangar Bay (adjacent to mussel farming areas). Legend symbols as in Figure 7.	18
Figure 8. Average monthly values of A) salinity and B) temperature in zone 1 of Alfacs Bay, near the connection with the open sea. Legend symbols as in Figure 7	19
Figure 9. Average monthly values of A) salinity and B) temperature in zone 2 of Alfacs Bay, in the central region of the Banyà Peninsula. Legend symbols as in Figure 7	20
Figure 10. Average monthly values of A) salinity and B) temperature in zone 3 of Alfacs Bay, located in the far end of the Trabucador bar. Legend symbols as in Figure 7.	21
Figure 11. Monthly averages of A) salinity and B) temperature in zone 4 of Alfacs Bay, located on the north coast, close to the St. Joan Tower. Legend symbols as in Figure 7.	22
Figure 12. Map of selected possible optimal sites to be explored in the Balearic Islands.....	27
Figure 13. Seabed communities described in the Estany des Peix. Font: Murruaga et al., 2021	28
Figure 14. Quarterly salinity values of the Estany des Peix for the last 4 years. Coloured area shows the unfavourable salinity range for <i>H. pinnae</i> . Data provided by the Ses Salines Natural Park.....	29
Figure 15. Salinity data obtained in 2004-2005 period. Font: Reviriego et al., 2005.....	29
Figure 16. Estany des Codols location.....	30
Figure 17. Albufera des Grau location	31
Figure 18. Albufera de Mallorca location. Red arrow in right image indicates the sampling site where are collected water samples for the analysis of physico-chemical parameters.....	31
Figure 19. Biannually salinity values of the Albufera since 1994. Coloured area shows the unfavourable salinity range for <i>H. pinnae</i> . Data provided by the Albufera Natural Park.....	32
Figure 20. Ranges of salinity values and median values (continuous lines horizontal) and averages (red dots) observed on Diana and Urbinu lagoons, over the period spring-summer 2012-2017 (modified from Menu et al., 2019).	35
Figure 21. Evolution of temperature and salinity during hydrological cycles 2008-2009 and 2009-2010 for Diana lagoon and the open sea (modified from Derolez et al., 2012).....	35
Figure 22. Inter-annual comparison (2020, 2021 and 2022) of the water temperature in Thau lagoon (source : Velyger network https://velyger.ifremer.fr).....	36
Figure 23. Inter-annual comparison (2020, 2021 and 2022) of the water salinity in Thau lagoon (source : Velyger network https://velyger.ifremer.fr).....	37
Figure 24. Map of Greece depicting the suitability of 11 marine sites in terms of hosting fan mussel populations.	39